

Office : mark@microwarm.com
 Factory: syqianjie@163.com

Tel: 86-574-88519699 www.microwarm.com.cn
 Tel: 86-574-88832268 www.shengyinb.com

Heater&Thermostat



WNC-1

THERMOSTAT FOR WATER HEATER
 Single pole. 16A/250V. L=275mm.
 work temperature: 20-80°C±5°C



WNA-4

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1" 1/4 brass flange.
 1200W/220V. L=300mm



WNA-102

HEATING ELEMENT FOR WASHING MACHINE
 SUS304. 1950W/220V. with 172°C fuse.



WNF-3

SAFETY VALVE FOR WATER HEATER
 1/2" or 3/4" , made in Brass. Nickel plated,
 working pressure: 3-12 Bar



WND-7

THERMOMETER FOR WATER HEATER
 MADE IN ABS. WORK TEMPERATURE: 30-90°C



WNE-10

BSP 1" 1/4, BRASS FLANGE FOR
 HEATING ELEMENT



WNB-1

HEATING ELEMENT FOR OVEN
 SUS304, 1500W/220V.



WNF-7

INDICATOR LAMP FOR WATER HEATER Red color,
 220v. 200mm wire length, 3mm terminals and jackets.



WNA-90

HEATING ELEMENT FOR ELECTRIC KETTLE
 SUS304 , 220V/2000W, with silicon ring.

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001



Heater&Thermostat



WNC-8

THERMOSTAT FOR WATER HEATER
 Single pole. 16A/250V. L=275mm.
 work temperature: 20-80°C ±5°C



WNA-15

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1 ¼ BSP brass flange. 1500W/220V.



WNA-109

IMMERSION WATER HEATER
 Iron. 1000W/220V. Nickel Plated



WNB-34

HEATING ELEMENT FOR IRON
 Iron. 1000W/220V. Nickel Plated



WNA-111

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1 ¼ BSP brass flange.
 3000W/220V.



WND-11

THERMOMETER FOR WATER
 HEATER MADE IN ABS.
 WORK TEMPERATURE: 30-90°C



WNC-1

THERMOSTAT FOR WATER HEATER
 Single pole. 16A/250V. L=275mm.
 work temperature: 20-80°C ±5°C



WNA-101

HEATING ELEMENT FOR WASHING
 MACHINE SUS304. 1900W/220V.
 with 172°C fuse. L=178mm



WNA-4

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1 ¼ BSP brass flange. 1200W/220V.
 L=300mm



WNA-19

HEATING ELEMENT FOR WATER HEATER
 T2 copper. Round M6 brass flange. 1500W/220V.

we produce what you need!



Heater & Thermostat



WNA-20

HEATING ELEMENT FOR WATER HEATER
T2 copper. With M6 Round brass flange.
1500W/220V.
Anode: 18×200mm M6×35mm



WNC-23

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WNA-4

HEATING ELEMENT FOR WATER HEATER
T2 copper. With 1/4 BSP brass flange.
1500W/220V. L=300mm



WNA-16

HEATING ELEMENT FOR WATER HEATER
T2 copper. With M6 1/4 BSP brass flange.
1500W/220V. Anode: 18×100mm M6×230mm



WNA-22

HEATING ELEMENT FOR WATER HEATER
T2 copper. With M6 Round brass flange.
2000W/220V. Anode: 18×200mm M6×35mm



WNA-112

HEATING ELEMENT FOR WATER HEATER
T2 copper. With D64 M4 SUS flange. 700W/220V.
Anode: 14×140mm M4×20mm. with D62 sealing ring



WNA-83

HEATING ELEMENT FOR WATER HEATER
T2 copper. With D64 M4 SUS flange. 700W+1300W. 220V.
Anode: 14×140mm M4×20mm. with D62 sealing ring



WNA-113

HEATING ELEMENT FOR WATER HEATER
T2 copper. With D64 M4 SUS flange. 2000W. 220V.
Anode: 18×100mm M6×230mm. with D62 sealing ring



WNA-61

HEATING ELEMENT FOR WATER HEATER
SUS304. With D93 flange. 2000W. 220V.
with D91 sealing ring



WNA-67

HEATING ELEMENT FOR OVEN
SUS304. With brass flange.
1600W. 220V. L=335mm



WNA-102

HEATING ELEMENT FOR WASHING MACHINE
SUS304. 1950W/220V.
with 172°C fuse. L=230mm

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001

Heater & Thermostat



WNC-1

THERMOSTAT FOR WATER HEATER
Single pole. 16A/250V. L=275mm.
work temperature: 20-80°C±5°C



WNC-17

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WNC-18

THERMOSTAT FOR WATER HEATER
Work temperature: -35~320°C,
Length of capillary tube: 250-3000mm



WNC-19

THERMOSTAT FOR WATER HEATER
Work temperature: 75~130°C,
Length of capillary tube: 300-1500mm



WNF-7

INDICATOR LAMP FOR WATER HEATER
Red color, 220v, 200mm wire length,
3mm terminals and jackets.



WNF-4

SAFETY VALVE FOR WATER HEATER
1/2" or 3/4", made in Brass. Nickel plated,
working pressure: 3-12 Bar



WND-9

THERMOMETER FOR WATER HEATER
MADE IN ABS.
WORK TEMPERATURE: 30-90°C



WNC-20

THERMOSTAT FOR HEATING ELEMENT
Work temperature: 30~140°C, 16A/250V



WNE-36

MS SOCKET FOR HEATING ELEMENT
Material: Steel. 1 1/4 BSP threading



WNC-22

THERMOSTAT FOR OVEN
Work temperature: 0~250°C±10°C



WNE-39

MAGNESIUM ANODE FOR WATER HEATER.
Specification are customized.

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001

Heater&Thermostat



WNA-75

HEATING ELEMENT FOR WATER HEATER.
COPPER NICKEL PLATED. 3000W/220V.
L=300mm.



WNC-24

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WNA-21

HEATING ELEMENT FOR WATER HEATER
T2 copper. With brass flange.
2000W/220V. L=280mm



WNC-9

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WNA-74

HEATING ELEMENT FOR WATER HEATER.
T2 copper. Round flange. 230V/3000w.



WNB-34

HEATING ELEMENT FOR ELECTRIC IRON
Iron. 1000W/220V. Nickel Plated



WNA-91

HEATING ELEMENT FOR ELECTRIC KETTLE
SUS304, 220V/2000W, with silicon ring.



WNC-21

THERMOSTAT SWITCH FOR ELECTRIC
KETTLE
PLASTIC. 220V 16A



WND-11

THERMOMETER FOR WATER HEATER
MADE IN ABS.
WORK TEMPERATURE: 30-90°C



WNF-7

INDICATOR LAMP FOR WATER HEATER
Red color, 220v, 200mm wire length,
3mm terminals and jackets.



WNE-39

MAGNESIUM ANODE FOR WATER
HEATER.
Specification are customized.

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001

Office : mark@microwarm.com
 Factory: syqianjie@163.com


Tel: 86-574-88519699 www.microwarm.com.cn
 Tel: 86-574-88832268 www.shengyinb.com

Heater&Thermostat



WNA-19

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With M6 Round brass flange.
 1500W/220V.



WNC-2

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C



WNA-4

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1"1/4 brass flange.
 1200W/220V. L=300mm



WNC-18

THERMOSTAT FOR WATER HEATER
 Work temperature: -35 ~ 320°C.
 Length of capillary tube: 250-3000mm



WNE-19

FLANGE FOR HEATING ELEMENT.



WNC-13

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C



WNC-1

THERMOSTAT FOR WATER HEATER
 Single pole. 16A/250V. L=275mm.
 work temperature: 20-80°C±5°C



WNA-80

HEATING ELEMENT FOR WATER HEATER.
 T2 copper. with 2"1/4 brass flange.
 L=14"240v/3000W.with double thermostat.



WNF-7

INDICATOR LAMP FOR WATER HEATER
 Red color, 220v, 200mm wire length,
 3mm terminals and jackets.

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001



Heater & Thermostat



WNE-27

FLANGE FOR HEATING ELEMENT.
With rubber seal gasket.



WNF-6

SEAL RING FOR HEATING ELEMENT. Made from silicone.



WNE-34

SEAL RING FOR HEATING ELEMENT. D42. Made from rubber.



WND-11

THERMOMETER FOR WATER HEATER
MADE IN ABS. WORK TEMPERATURE: 30-90°C



WNE-36

MS SOCKET FOR HEATING ELEMENT
Material: Steel. 1 1/4 BSP threading



WNF-4

SAFETY VALVE FOR WATER HEATER
1/2" or 3/4", made in Brass. Nickel plated, working pressure: 3-12 Bar



WNF-1

PLASTIC CAP FOR WATER HEATER.



WNE-39

MAGNESIUM ANODE FOR WATER HEATER.
Specification are customized.

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001



Heater&Thermostat



WNA-80

HEATING ELEMENT FOR WATER HEATER.
 T2 copper. With 2"1/4 brass flange. L=14"240V/3000W.



WNC-15

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C



WNA-4

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1"1/4 brass flange.
 1200W/220V. L=300mm



WNA-19

HEATING ELEMENT FOR WATER HEATER
 T2 copper. Round M6 brass flange.
 1500W/220V.



WNA-82

HEATING ELEMENT FOR WATER HEATER.
 T2 copper. With 2"1/4 BSP flange. 240V/3000w.
 With 1 meter electric wire. L=14" .



WNA-81

HEATING ELEMENT FOR WATER HEATER.
 T2 copper. With 2"1/4 BSP brass
 flange. 240V/3000W. L=27"



WNC-2

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C




WNC-7

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C



WNC-13

THERMOSTAT FOR WATER HEATER
 Double pole. 16A/250V. L=275mm.
 work temperature: 20-105°C±5°C



WNB-1

HEATING ELEMENT FOR OVEN
 SUS304, 1500W/220V.



WNA-80

HEATING ELEMENT FOR WATER HEATER.
 T2 copper. With 2"1/4 brass flange.
 L=14" 240V/3000W.

we produce what you need!



Office : mark@microwarm.com
 Factory: syqianjie@163.com

Tel: 86-574-88519699 www.microwarm.com.cn
 Tel: 86-574-88832268 www.shengyinb.com

Heater&Thermostat



WNC-21

THERMOSTAT USED IN ELECTRIC KETTLE.
 16A/220V



WNA-90

HEATING ELEMENT FOR ELECTRIC KETTLE
 SUS304, 220V/2000W, with silicon ring.



WNA-1

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1 1/4 BSP flange and single-pole thermostat.
 1500W/220V. L=300mm




WNA-108

HEATING ELEMENT FOR WATER HEATER
 T2 copper. With 1 1/4 BSP flange and single-pole
 thermostat 3000w/220v. L=300mm



WNA-93

HEATING ELEMENT FOR ELECTRIC KETTLE
 SUS304 230V/800W With Silicon Ring



WNB-1

HEATING ELEMENT FOR OVEN
 SUS304, 1500W/220V.



WNC-1

THERMOSTAT FOR WATER HEATER
 Single pole. 16A/250V. L=275mm.
 work temperature: 20-80°C±5°C



WNE-1

BSP 1 " 1/4, BRASS FLANGE FOR
 HEATING ELEMENT



WNA-91

HEATING ELEMENT FOR ELECTRIC
 KETTLE SUS304,
 220V/2000W, with silicon ring.



WNA-92

HEATING ELEMENT FOR ELECTRIC
 KETTLE
 SUS304, 220V/2000W, with silicon ring

we produce what you need!

wechat: nbmarkchen

skype: chen023081



RoHS CE ISO9001



Heater&Thermostat



WNA-1

HEATING ELEMENT FOR WATER HEATER
T2 copper. With 1 1/4 BSP flange and
single-pole thermostat.
2000W/220V. L=300mm



WNA-108

HEATING ELEMENT FOR WATER HEATER
T2 copper. With 1 1/4 BSP flange and
single-pole thermostat 3000w/220v.
L=300mm



WNA-2

HEATING ELEMENT FOR WATER HEATER.
T2 copper. With 1 1/4 BSP brass flange.
2000W/220V. L=900mm.



WNA-19

HEATING ELEMENT FOR WATER HEATER
T2 copper. Round M6 brass flange.
1500W/220V.



WNC-1

THERMOSTAT FOR WATER HEATER
Single pole. 16A/250V. L=275mm.
work temperature: 20-80°C±5°C



WNF-7

INDICATOR LAMP FOR WATER HEATER
Red color, 220v, 200mm wire length,
3mm terminals and jackets.



WNG-1

Safety valve for gas oven.
Made in brass.



WNE-36

MS SOCKET FOR HEATING ELEMENT
Material: Steel. 1 1/4 BSP threading

we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001




Heater&Thermostat



WNA-57

HEATING ELEMENT FOR WATER HEATER.
T2 copper. Nickle plated. 220V/2500W.
L=350mm.



WNC-13

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=180/350mm.
work temperature: 20-105°C±5°C



WNA-56

HEATING ELEMENT FOR WATER HEATER.
T2 copper. Nickle plated. 2500W/220V.
L=350mm.



WNA-76

HEATING ELEMENT FOR WATER HEATER.
T2 copper. Nickle plated. 220V/2500W.
L=350mm.



WNA-87

HEATING ELEMENT FOR WATER HEATER.
T2 copper. 230V/3000W. L=230MM



WNC-2

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WNC-14

THERMOSTAT FOR WATER HEATER
Double pole. 16A/250V. L=275mm.
work temperature: 20-105°C±5°C



WND-12

THERMOMETER FOR WATER HEATER
MADE IN ABS.
WORK TEMPERATURE: 30-90°C



we produce what you need!



: nbmarkchen



: chen023081



RoHS CE ISO9001